Application No. 09/987,930

CAM: 208423-999437 Docket: 4821-438-999

Page 2 of 9

## LISTING OF THE CLAIMS

1-12. (Canceled).

13. (Previously presented) A method of treating alcohol addiction, a bipolar or manic condition, bulimia, chronic fatigue syndrome, narcolepsy, premenstrual syndrome, or neuropathic pain which comprises administering to a patient having said disorder a therapeutically effective amount of optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof.

14-60. (Canceled).

- 61. (Previously presented) The method of claim 13 wherein the effective amount of optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is from about 1 mg to about 750 mg per day.
- 62. (Previously presented) The method of claim 13 wherein the effective amount of optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is from about 5 mg to about 700 mg per day.
- 63. (Previously presented) The method of claim 13 wherein the effective amount of optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is from about 10 mg to about 650 mg per day.
- 64. (Previously presented) The method of claim 13 wherein optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is administered orally, transdermally, and mucosally.
- 65. (Previously presented) The method of claim 64 wherein optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is administered orally.

Application No. 09/987,930

CAM: 208423-999437 Docket: 4821-438-999

Page 3 of 9

66. (Previously presented) The method of claim 64 wherein optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is administered transdermally.

- 67. (Previously presented) The method of claim 64 wherein optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol, or a pharmaceutically acceptable salt, solvate, or clathrate thereof, is administrated mucosally.
  - 68. (Withdrawn) The method of claim 13 wherein alcohol addiction is treated.
  - 69. (Canceled).
- 70. (Previously presented) The method of claim 13 wherein a bipolar or manic condition is treated.
  - 71. (Withdrawn) The method of claim 13 wherein bulimia is treated.
- 72. (Withdrawn) The method of claim 13 wherein chronic fatigue syndrome is treated.
  - 73. (Withdrawn) The method of claim 13 wherein narcolepsy is treated.
  - 74. (Canceled).
- 75. (Withdrawn) The method of claim 13 wherein premenstrual syndrome is treated.
- 76. (Previously presented) The method of claim 13 wherein the optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-2-morpholinol is in the form of an acceptable salt.
- 77. (Withdrawn) The method of claim 13 wherein the optically pure (S,S)-2-(3-chlorophenyl)-3,5,5-trimethyl-3-morpholinol is in the form of a solvate.
  - 78. (Canceled).
  - 79. (Withdrawn) The method of claim 13, wherein neuropathic pain is treated.